

ENTITY: TECHNICAL COLLEGE  
CLASS: VOCATIONAL DIPLOMA

BRANCH: AUTOMOBILE

SPCL: ENGINE TESTING

SESSION: 2015-2016  
SEM: 2

| NAME / ROLL NO.                           | CT         | SX | AT     | SGPA | RES. |   |         |    |     |       |         |    |      |        |        |    |      |        |         |    |      |      |
|---|------------|----|--------|------|------|---|---------|----|-----|-------|---------|----|------|--------|--------|----|------|--------|---------|----|------|------|
|   | ENROLMENT# |    |        |      |      |   |         |    |     |       |         |    |      |        |        |    |      |        |         |    |      |      |
| MOHIT KUMAR<br>6-VD-AU-15-2-146745        | SC         | M  | 2      | 5.70 | 5.32 | P | DAS201  | D  | ABS | 3.00  | DAS202  | D- | 3.00 | DAS203 | C      | B- | 6.25 | DEE201 | C-      | E  | 4.25 |      |
|   |            |    | 141120 |      |      |   | DHU201  | D  | D-  | 3.75  | DME201  | D- | C-   | 3.50   | DME203 | C- | E-   | 4.00   | DME204  | A- | B    | 8.75 |
|   |            |    |        |      |      |   | DME205  | D  | D-  | 3.75  | DME206  | B  | A-   | 8.25   | VAU351 | A- | B    | 8.75   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | C   | 6.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| ABHINENDRA SINGH<br>6-VD-AU-15-2-156666   | GN         | M  | 1      |      |      | F | DAS201  | B  | F   | 6.00  | DAS202* |    | E    | 2.00   | DAS203 | B- | B    | 7.25   | DEE201  | C  | E    | 5.00 |
|   |            |    | 151393 |      |      |   | DHU201  | D  | D-  | 3.75  | DME201  | B- | E    | 5.75   | DME203 | D  | F    | 3.00   | DME204  | A- | A-   | 9.00 |
|   |            |    |        |      |      |   | DME205  | D  | E   | 3.50  | DME206  | B  | A-   | 8.25   | VAU351 | B  | B    | 8.00   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | B   | 8.00  |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DAS101  |    | D-  | 3.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| ABHISHEK SHARMA<br>6-VD-AU-15-2-156667    | GN         | M  | 1      | 6.37 | 5.94 | P | DAS201  | C- | F   | 3.75  | DAS202  |    | D-   | 3.00   | DAS203 | C  | C    | 6.00   | DEE201  | B- | E    | 5.75 |
|   |            |    | 151394 |      |      |   | DHU201  | C- | E   | 4.25  | DME201  | C- | F    | 3.75   | DME203 | C  | F    | 4.50   | DME204  | B  | A-   | 8.25 |
|   |            |    |        |      |      |   | DME205  | C  | F   | 4.50  | DME206  | B  | A-   | 8.25   | VAU351 | A  | A-   | 9.75   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | A-  | 9.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| ARUN<br>6-VD-AU-15-2-156685               | GN         | M  | 1      | 5.68 | 6.06 | P | DAS201  | D  | F   | 3.00  | DAS202  | B- | F    | 5.25   | DAS203 | A  | C    | 9.00   | DEE201  | D  | B-   | 4.75 |
|   |            |    | 151411 |      |      |   | DHU201  | C- | D-  | 4.50  | DME201  | B- | E    | 5.75   | DME203 | C  | D-   | 5.25   | DME204  | B  | A-   | 8.25 |
|   |            |    |        |      |      |   | DME205  | B- | C-  | 6.50  | DME206  | A- | B    | 8.75   | VAU351 | B- | B    | 7.25   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | A-  | 9.00  |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DAS105  |    | D-  | 3.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| ASHISH KUMAR SHAMI<br>6-VD-AU-15-2-156688 | SC         | M  | 1      |      |      | F | DAS201  | D  | E-  | 3.25  | DAS202  | C- | F    | 3.75   | DAS203 | B- | C    | 6.75   | DEE201* |    | E-   | 1.00 |
|   |            |    | 151414 |      |      |   | DHU201  | D  | E-  | 3.25  | DME201  | B  | F    | 6.00   | DME203 | C- | E-   | 4.00   | DME204  | B  | B    | 8.00 |
|   |            |    |        |      |      |   | DME205  | D  | E-  | 3.25  | DME206  | B- | A-   | 7.50   | VAU351 | B- | B-   | 7.00   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | A-  | 9.00  |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DEE101* |    | E-  | 1.00  | DME102  |    | D-   | 3.00   |        |    |      |        |         |    |      |      |
| DEEPAK KATHERIA<br>6-VD-AU-15-2-156696    | SC         | M  | 1      |      |      | F | DAS201  | D  | F   | 3.00  | DAS202  | C  | F    | 4.50   | DAS203 | B  | C-   | 7.25   | DEE201  | D- | D-   | 3.00 |
|   |            |    | 151422 |      |      |   | DHU201  | D  | F   | 3.00  | DME201  | B  | E-   | 6.25   | DME203 | C- | F    | 3.75   | DME204  | B  | B    | 8.00 |
|   |            |    |        |      |      |   | DME205  | B- | E-  | 5.50  | DME206  | A- | B    | 8.75   | VAU351 | A- | B-   | 8.50   | CAC241  |    | B-   | 7.00 |
|   |            |    |        |      |      |   | RDC241  |    | A-  | 9.00  |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DEE101* |    | E-  | 1.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| GOPAL SINGH PARMAR<br>6-VD-AU-15-2-156703 | GN         | M  | 1      |      |      | F | DAS201  | D  | F   | 3.00  | DAS202  | B  | F    | 6.00   | DAS203 | A- | C-   | 8.00   | DEE201* |    | E-   | 1.00 |
|   |            |    | 151429 |      |      |   | DHU201  | D  | E   | 3.50  | DME201  | B  | E-   | 6.25   | DME203 | C- | F    | 3.75   | DME204  | B- | B    | 7.25 |
|   |            |    |        |      |      |   | DME205  | C- | E   | 4.25  | DME206  | B  | A-   | 8.25   | VAU351 | A- | B-   | 8.50   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | A-  | 9.00  |         |    |      |        |        |    |      |        |         |    |      |      |
| MAYANK SHARMA<br>6-VD-AU-15-2-156714      | GN         | M  | 1      |      |      | F | DAS201  | D  | F   | 3.00  | DAS202  | B- | F    | 5.25   | DAS203 | B- | C    | 6.75   | DEE201* |    | E-   | 1.00 |
|   |            |    | 151439 |      |      |   | DHU201  | D  | D   | 4.00  | DME201  | B  | E-   | 6.25   | DME203 | D  | D-   | 3.75   | DME204  | B- | B    | 7.25 |
|   |            |    |        |      |      |   | DME205  | D- | B   | 4.25  | DME206  | B- | B    | 7.25   | VAU351 | C  | C    | 6.00   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | B   | 8.00  |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DEE101* |    | E-  | 1.00  | DME102  |    | D-   | 3.00   |        |    |      |        |         |    |      |      |
| NITIN TYAGI<br>6-VD-AU-15-2-156717        | GN         | M  | 1      |      |      | F | DAS201  | D  | F   | 3.00  | DAS202  | C  | F    | 4.50   | DAS203 | B  | C    | 7.50   | DEE201  | D- | D    | 3.25 |
|   |            |    | 151442 |      |      |   | DHU201  | C- | E   | 4.25  | DME201  | B  | F    | 6.00   | DME203 | C- | E    | 4.25   | DME204  | B  | B    | 8.00 |
|   |            |    |        |      |      |   | DME205  | A- | E   | 7.25  | DME206  | A- | B    | 8.75   | VAU351 | A- | B-   | 8.50   | CAC241  |    | C    | 6.00 |
|   |            |    |        |      |      |   | RDC241  |    | A   | 10.00 |         |    |      |        |        |    |      |        |         |    |      |      |
|   |            |    |        |      |      |   | DEE101* |    | E   | 2.00  |         |    |      |        |        |    |      |        |         |    |      |      |

