

ENTITY: PREM VIDYALAYA

SESSION: 2016-2017

CLASS: INTERMEDIATE

BRANCH: COMMERCE

SEM: 2

| NAME / ROLL NO.                                                | CT             | SX | AT   | SGPA | RES. |                            |               |               |                                           |              |              |                                     |         |          |                             |         |          |               |  |
|----------------------------------------------------------------|----------------|----|------|------|------|----------------------------|---------------|---------------|-------------------------------------------|--------------|--------------|-------------------------------------|---------|----------|-----------------------------|---------|----------|---------------|--|
|                                                                | ENROLMENT#     |    |      |      |      |                            |               |               |                                           |              |              |                                     |         |          |                             |         |          |               |  |
| AARTEE SATSANGEE<br>8-IC-CM-00-2-168161                        | GN F<br>141584 | 1  | 8.97 | 8.73 | P    | IAC201<br>IHI202<br>IGK201 | A-<br>A<br>A- | B<br>B<br>A-  | 8.75 IBC201<br>9.50 IMA201<br>9.00 ISR201 | A<br>B-<br>A | B<br>C-<br>A | 9.50 IEC201<br>6.50 IWE201<br>10.00 | A<br>A  | B<br>A   | 9.50 IEN201<br>10.00 ICC201 | A-<br>B | B-<br>B  | 8.50<br>8.00  |  |
| AARTI SETHIA<br>8-IC-CM-00-2-168162                            | GN F<br>141520 | 1  | 8.70 | 8.81 | P    | IAC201<br>IHI202<br>ISR201 | A-<br>A<br>A  | B<br>A-<br>A  | 8.75 IBC201<br>9.75 IWE201<br>10.00       | A<br>A       | C<br>A       | 9.00 IEC201<br>10.00 ICC201         | A<br>B  | C<br>B   | 9.00 IEN201<br>8.00 IGK201  | B<br>A- | C<br>A-  | 7.50<br>9.00  |  |
| ALVEERA REHMAN<br>8-IC-CM-00-2-168163                          | GN F<br>141521 | 1  | 9.28 | 9.33 | P    | IAC201<br>IHI202<br>ISR201 | A-<br>A<br>A  | B<br>A-<br>A  | 8.75 IBC201<br>9.75 IWE201<br>10.00       | A<br>A       | B-<br>A      | 9.25 IEC201<br>10.00 ICC201         | A<br>A- | B<br>A-  | 9.50 IEN201<br>9.00 IGK201  | A<br>A  | B-<br>A  | 9.25<br>10.00 |  |
| AMOLA SATSANGI (D/O SRI G. S. SATSANGI)<br>8-IC-CM-00-2-168164 | GN F<br>141586 | 1  | 9.14 | 8.62 | P    | IAC201<br>IHI202<br>IGK201 | A-<br>A<br>A- | B<br>A-<br>A- | 8.75 IBC201<br>9.75 IMA201<br>9.00 ISR201 | A<br>C<br>A  | B<br>B-<br>A | 9.50 IEC201<br>6.25 IWE201<br>10.00 | A-<br>A | B-<br>A  | 8.50 IEN201<br>10.00 ICC201 | A-<br>B | B<br>B   | 8.75<br>8.00  |  |
| AMOLA SATSANGI (D/O SRI MOHIT SATSANGI)<br>8-IC-CM-00-2-168165 | GN F<br>141587 | 1  | 8.80 | 8.51 | P    | IAC201<br>IHI202<br>IGK201 | B<br>A<br>A-  | B<br>A-<br>A- | 8.00 IBC201<br>9.75 IMA201<br>9.00 ISR201 | A<br>C-<br>A | B<br>C-<br>A | 9.50 IEC201<br>5.00 IWE201<br>10.00 | A-<br>A | B<br>A   | 8.75 IEN201<br>10.00 ICC201 | A-<br>A | B-<br>A  | 8.50<br>10.00 |  |
| ANJALI GAUTAM<br>8-IC-CM-00-2-168166                           | GN F<br>141522 | 1  | 7.87 | 8.03 | P    | IAC201<br>IHI202<br>ISR201 | B<br>A-<br>A  | C<br>B-<br>A  | 7.50 IBC201<br>8.50 IWE201<br>10.00       | B<br>A       | C<br>A       | 7.50 IEC201<br>10.00 ICC201         | B<br>A- | B-<br>A- | 7.75 IEN201<br>9.00 IGK201  | B<br>B  | C<br>B   | 7.50<br>8.00  |  |
| ANJALI KUMARI (D/O SRI OM PRAKASH)<br>8-IC-CM-00-2-168167      | SC F<br>141524 | 1  | 8.58 | 8.69 | P    | IAC201<br>IHI202<br>ISR201 | A-<br>A<br>A  | C<br>A-<br>A  | 8.25 IBC201<br>9.75 IWE201<br>10.00       | A<br>A       | B-<br>A      | 9.25 IEC201<br>10.00 ICC201         | A-<br>B | B<br>B   | 8.75 IEN201<br>8.00 IGK201  | B<br>A- | C-<br>A- | 7.25<br>9.00  |  |
| ANKITA SINHA<br>8-IC-CM-00-2-168168                            | GN F<br>141525 | 1  | 6.73 | 6.87 | P    | IAC201<br>IHI202<br>ISR201 | B-<br>B<br>A  | D<br>C-<br>A  | 6.25 IBC201<br>7.25 IWE201<br>10.00       | B-<br>A      | C-<br>A      | 6.50 IEC201<br>10.00 ICC201         | B<br>B  | C-<br>B  | 7.25 IEN201<br>8.00 IGK201  | C<br>B  | E<br>B   | 5.00<br>8.00  |  |
| ARADHNA CHOUDHARY<br>8-IC-CM-00-2-168169                       | SC F<br>141526 | 1  | 6.80 | 7.52 | P    | IAC201<br>IHI202<br>ISR201 | B<br>B<br>A   | C<br>C<br>A   | 7.50 IBC201<br>7.50 IWE201<br>10.00       | B<br>A       | B-<br>A      | 7.75 IEC201<br>10.00 ICC201         | A-<br>B | B-<br>B  | 8.50 IEN201<br>8.00 IGK201  | C<br>B  | E<br>B   | 5.00<br>8.00  |  |
| ARTI KUMARI<br>8-IC-CM-00-2-168170                             | GN F<br>141588 | 1  | 8.28 | 8.69 | P    | IAC201<br>IHI202<br>ISR201 | B<br>A<br>A   | B-<br>B<br>A  | 7.75 IBC201<br>9.50 IWE201<br>10.00       | A<br>A       | B-<br>A      | 9.25 IEC201<br>10.00 ICC201         | A<br>B  | B-<br>B  | 9.25 IEN201<br>8.00 IGK201  | B<br>A- | C<br>A-  | 7.50<br>9.00  |  |
| AYUSHI AGARWAL<br>8-IC-CM-00-2-168171                          | GN F<br>160370 | 1  | 7.73 | 8.15 | P    | IAC201<br>IHI202<br>ISR201 | B<br>A-<br>A  | C<br>C<br>A   | 7.50 IBC201<br>8.25 IWE201<br>10.00       | A-<br>A      | C-<br>A      | 8.00 IEC201<br>10.00 ICC201         | A-<br>B | B-<br>B  | 8.50 IEN201<br>8.00 IGK201  | B<br>A- | B-<br>A- | 7.75<br>9.00  |  |
| BHARTI SHARMA<br>8-IC-CM-00-2-168172                           | BC F<br>160371 | 1  | 5.46 | 6.28 | P    | IAC201<br>IHI202<br>ISR201 | B-<br>C<br>A  | E-<br>D-<br>A | 5.50 IBC201<br>5.25 IWE201<br>10.00       | B-<br>A      | D<br>A       | 6.25 IEC201<br>10.00 ICC201         | B<br>B- | C<br>B-  | 7.50 IEN201<br>7.00 IGK201  | C<br>B  | E-<br>B  | 4.75<br>8.00  |  |

**ENTITY: PREM VIDYALAYA**

**CLASS: INTERMEDIATE**

**BRANCH: COMMERCE**

**SESSION: 2016-2017**

SEM: 2

| NAME / ROLL NO.                        |    | CT         | SX | AT   | SGPA | RES. |        |    |    |       |        |    |    |       |        |    |    |       |        |    |    |      |
|----------------------------------------|----|------------|----|------|------|------|--------|----|----|-------|--------|----|----|-------|--------|----|----|-------|--------|----|----|------|
|                                        |    | ENROLMENT# |    |      |      |      |        |    |    |       |        |    |    |       |        |    |    |       |        |    |    |      |
| DHUN PRIYA<br>8-IC-CM-00-2-168173      | BC | F          | 1  | 9.16 | 8.67 | P    | IAC201 | B  | B  | 8.00  | IBC201 | A  | B  | 9.50  | IEC201 | A  | B  | 9.50  | IEN201 | A- | B- | 8.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | A- | 9.75  | IMA201 | C  | C  | 6.00  | IWE201 |    | A  | 10.00 | ICC201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | IGK201 |    | A- | 9.00  | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |      |
| DISHA PARASHAR<br>8-IC-CM-00-2-168174  | GN | F          | 1  | 8.04 | 8.73 | P    | IAC201 | B  | B- | 7.75  | IBC201 | A  | B  | 9.50  | IEC201 | A- | B- | 8.50  | IEN201 | A- | B- | 8.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | B- | 9.25  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| JANVI KUMARI<br>8-IC-CM-00-2-168175    | SC | F          | 1  | 7.14 | 8.07 | P    | IAC201 | B  | B- | 7.75  | IBC201 | B  | B- | 7.75  | IEC201 | A- | C  | 8.25  | IEN201 | B  | C- | 7.25 |
|                                        |    |            |    |      |      |      | IHI202 | A- | B- | 8.50  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| JYOTI YADAV<br>8-IC-CM-00-2-168176     | BC | F          | 1  | 8.73 | 8.87 | P    | IAC201 | A- | B  | 8.75  | IBC201 | A- | B  | 8.75  | IEC201 | A  | B- | 9.25  | IEN201 | A- | B- | 8.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | A- | 9.75  | IWE201 |    | A  | 10.00 | ICC201 |    | B- | 7.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| KANISHKA SINGH<br>8-IC-CM-00-2-168177  | BC | F          | 1  | 8.05 | 8.64 | P    | IAC201 | B  | B  | 8.00  | IBC201 | A  | B- | 9.25  | IEC201 | A- | C  | 8.25  | IEN201 | A- | B  | 8.75 |
|                                        |    |            |    |      |      |      | IHI202 | A- | B  | 8.75  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| LAXMI KUMARI<br>8-IC-CM-00-2-168178    | BC | F          | 1  | 8.23 | 8.47 | P    | IAC201 | B  | B- | 7.75  | IBC201 | A- | B- | 8.50  | IEC201 | A- | B- | 8.50  | IEN201 | B- | C- | 6.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | B  | 9.50  | IWE201 |    | A  | 10.00 | ICC201 |    | A  | 10.00 | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MAHIMA<br>8-IC-CM-00-2-168179          | SC | F          | 1  | 4.78 | 6.13 | P    | IAC201 | B- | D  | 6.25  | IBC201 | C  | D- | 5.25  | IEC201 | B- | D- | 6.00  | IEN201 | C  | F  | 4.50 |
|                                        |    |            |    |      |      |      | IHI202 | B- | D  | 6.25  | IWE201 |    | A  | 10.00 | ICC201 |    | B- | 7.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MAHIMA SATSANGI<br>8-IC-CM-00-2-168180 | BC | F          | 1  | 9.03 | 8.62 | P    | IAC201 | B  | B- | 7.75  | IBC201 | A- | B  | 8.75  | IEC201 | A  | B  | 9.50  | IEN201 | B- | C- | 6.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | A- | 9.75  | IWE201 |    | A  | 10.00 | ICC201 |    | A- | 9.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MEGHA SINHA<br>8-IC-CM-00-2-168181     | GN | F          | 1  | 8.58 | 8.60 | P    | IAC201 | A- | B  | 8.75  | IBC201 | A  | C  | 9.00  | IEC201 | A- | C- | 8.00  | IEN201 | B  | C  | 7.50 |
|                                        |    |            |    |      |      |      | IHI202 | A  | B  | 9.50  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MEHAR BHANDARI<br>8-IC-CM-00-2-168182  | GN | F          | 1  | 8.60 | 8.89 | P    | IAC201 | A- | C  | 8.25  | IBC201 | A  | C  | 9.00  | IEC201 | A- | B- | 8.50  | IEN201 | A  | B- | 9.25 |
|                                        |    |            |    |      |      |      | IHI202 | A  | B  | 9.50  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | A- | 9.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MUSKAN<br>8-IC-CM-00-2-168183          | BC | F          | 1  | 7.50 | 7.93 | P    | IAC201 | B  | C  | 7.50  | IBC201 | A- | B- | 8.50  | IEC201 | B  | B- | 7.75  | IEN201 | B  | C  | 7.50 |
|                                        |    |            |    |      |      |      | IHI202 | B  | C  | 7.50  | IWE201 |    | A  | 10.00 | ICC201 |    | B  | 8.00  | IGK201 |    | B  | 8.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |
| MUSKAN BADGUJAR<br>8-IC-CM-00-2-168184 | SC | F          | 1  | 8.35 | 8.56 | P    | IAC201 | A- | B- | 8.50  | IBC201 | A- | B  | 8.75  | IEC201 | A  | B- | 9.25  | IEN201 | B- | C  | 6.75 |
|                                        |    |            |    |      |      |      | IHI202 | A- | B  | 8.75  | IWE201 |    | A  | 10.00 | ICC201 |    | A- | 9.00  | IGK201 |    | B  | 8.00 |
|                                        |    |            |    |      |      |      | ISR201 |    | A  | 10.00 |        |    |    |       |        |    |    |       |        |    |    |      |

**ENTITY: PREM VIDYALAYA**

**CLASS: INTERMEDIATE**

**BRANCH: COMMERCE**

**SESSION: 2016-2017**

SEM: 2

| NAME / ROLL NO.                          | CT | SX | AT | ENROLMENT# | SGPA | RES. |   |                            |                |               |                       |                            |               |               |                        |                            |              |              |                        |                            |                |                |                      |
|------------------------------------------|----|----|----|------------|------|------|---|----------------------------|----------------|---------------|-----------------------|----------------------------|---------------|---------------|------------------------|----------------------------|--------------|--------------|------------------------|----------------------------|----------------|----------------|----------------------|
| MUSKAN SONAR<br>8-IC-CM-00-2-168185      | GN | F  | 1  | 160380     | 8.94 | 8.66 | P | IAC201<br>IHI202<br>IGK201 | A-<br>A-<br>A- | B<br>B<br>A-  | 8.75<br>8.75<br>9.00  | IBC201<br>IMA201<br>ISR201 | A-<br>A-<br>A | B-<br>A-<br>A | 8.50<br>9.00<br>10.00  | IEC201<br>IWE201<br>ICC201 | A<br>A<br>A  | C<br>A<br>A  | 9.00<br>10.00<br>10.00 | IEN201<br>ICC201<br>IGK201 | B<br>B<br>B    | B-<br>B<br>B   | 7.75<br>8.00<br>8.00 |
| KUMARI NIRUPMA<br>8-IC-CM-00-2-168186    | GN | F  | 1  | 160381     | 7.02 | 7.74 | P | IAC201<br>IHI202<br>ISR201 | B<br>B<br>A    | C<br>C<br>A   | 7.50<br>7.50<br>10.00 | IBC201<br>IWE201<br>ICC201 | B<br>A<br>A   | C<br>A<br>A   | 7.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A-<br>B<br>B | B-<br>B<br>B | 8.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | B-<br>A-<br>A- | C-<br>A-<br>A- | 6.50<br>9.00<br>9.00 |
| PALAK GHUTEY<br>8-IC-CM-00-2-168187      | SC | F  | 1  | 160382     | 8.05 | 8.05 | P | IAC201<br>IHI202<br>ISR201 | B<br>B<br>A    | B<br>B-<br>A  | 8.00<br>7.75<br>10.00 | IBC201<br>IWE201<br>ICC201 | A-<br>A<br>A  | B-<br>A<br>A  | 8.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | B<br>B<br>B  | B-<br>B<br>B | 7.75<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | B<br>B<br>B    | C<br>B<br>B    | 7.50<br>8.00<br>8.00 |
| PAYAL CHANDEL<br>8-IC-CM-00-2-168188     | GN | F  | 1  | 141608     | 9.17 | 9.01 | P | IAC201<br>IHI202<br>ISR201 | A-<br>A<br>A   | A-<br>A-<br>A | 9.00<br>9.75<br>10.00 | IBC201<br>IWE201<br>ICC201 | A<br>A<br>A   | B-<br>A<br>A  | 9.25<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A<br>B<br>B  | B-<br>B<br>B | 9.25<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | A-<br>A-<br>A- | C-<br>A-<br>A- | 8.00<br>9.00<br>9.00 |
| POOJA KEWALRAMANI<br>8-IC-CM-00-2-168189 | GN | F  | 1  | 160383     | 8.46 | 8.85 | P | IAC201<br>IHI202<br>ISR201 | A-<br>A-<br>A  | B<br>A-<br>A  | 8.75<br>9.00<br>10.00 | IBC201<br>IWE201<br>ICC201 | A<br>A<br>A   | B-<br>A<br>A  | 9.25<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A-<br>B<br>B | B-<br>B<br>B | 8.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | A-<br>A-<br>A- | B<br>A-<br>A-  | 8.75<br>9.00<br>9.00 |
| PRAGYA AGRAWAL<br>8-IC-CM-00-2-168190    | GN | F  | 1  | 160384     | 8.55 | 8.73 | P | IAC201<br>IHI202<br>ISR201 | A-<br>A-<br>A  | B-<br>B-<br>A | 8.50<br>8.50<br>10.00 | IBC201<br>IWE201<br>ICC201 | A-<br>A<br>A  | B-<br>A<br>A  | 8.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A<br>B<br>B  | B-<br>B<br>B | 9.25<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | A-<br>A-<br>A- | B<br>A-<br>A-  | 8.75<br>9.00<br>9.00 |
| PRAGYA SENGAR<br>8-IC-CM-00-2-168191     | GN | F  | 1  | 141542     | 7.61 | 7.85 | P | IAC201<br>IHI202<br>ISR201 | B<br>B<br>A    | C<br>C-<br>A  | 7.50<br>7.25<br>10.00 | IBC201<br>IWE201<br>ICC201 | B<br>A<br>A   | B<br>A<br>A   | 8.00<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A-<br>B<br>B | B-<br>B<br>B | 8.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | B<br>B<br>B    | D<br>B<br>B    | 7.00<br>8.00<br>8.00 |
| PREETI<br>8-IC-CM-00-2-168192            | GN | F  | 1  | 160385     | 6.85 | 7.03 | P | IAC201<br>IHI202<br>ISR201 | B-<br>B-<br>A  | C<br>D<br>A   | 6.75<br>6.25<br>10.00 | IBC201<br>IWE201<br>ICC201 | B<br>A<br>A   | C<br>A<br>A   | 7.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | B<br>B<br>B  | C<br>B<br>B  | 7.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | C<br>B<br>B    | D-<br>B<br>B   | 5.25<br>8.00<br>8.00 |
| PREETI KUMARI<br>8-IC-CM-00-2-168193     | GN | F  | 1  | 141543     | 8.67 | 8.81 | P | IAC201<br>IHI202<br>ISR201 | B<br>A-<br>A   | B-<br>B-<br>A | 7.75<br>8.50<br>10.00 | IBC201<br>IWE201<br>ICC201 | A<br>A<br>A   | A-<br>A<br>A  | 9.75<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A<br>B<br>B  | B<br>B<br>B  | 9.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | A-<br>A-<br>A- | B-<br>A-<br>A- | 8.50<br>9.00<br>9.00 |
| PRIYA SATSANGI<br>8-IC-CM-00-2-168194    | BC | F  | 1  | 141545     | 6.76 | 7.50 | P | IAC201<br>IHI202<br>ISR201 | B<br>A-<br>A   | C-<br>C<br>A  | 7.25<br>8.25<br>10.00 | IBC201<br>IWE201<br>ICC201 | B<br>A<br>A   | C<br>A<br>A   | 7.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | B<br>B<br>B  | C<br>B<br>B  | 7.50<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | C<br>A-<br>A-  | D<br>A-<br>A-  | 5.50<br>9.00<br>9.00 |
| PRIYA SINGH<br>8-IC-CM-00-2-168195       | GN | F  | 1  | 160386     | 7.89 | 8.52 | P | IAC201<br>IHI202<br>ISR201 | A-<br>B<br>A   | C<br>B-<br>A  | 8.25<br>7.75<br>10.00 | IBC201<br>IWE201<br>ICC201 | A-<br>A<br>A  | B-<br>A<br>A  | 8.50<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | A<br>B<br>B  | B-<br>B<br>B | 9.25<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | A-<br>A-<br>A- | B-<br>A-<br>A- | 8.50<br>9.00<br>9.00 |
| PRIYANKA<br>8-IC-CM-00-2-168196          | SC | F  | 1  | 141546     | 7.31 | 8.26 | P | IAC201<br>IHI202<br>ISR201 | B<br>A-<br>A   | B-<br>B<br>A  | 7.75<br>8.75<br>10.00 | IBC201<br>IWE201<br>ICC201 | A-<br>A<br>A  | B<br>A<br>A   | 8.75<br>10.00<br>10.00 | IEC201<br>ICC201<br>IGK201 | B<br>B<br>B  | B<br>B<br>B  | 8.00<br>8.00<br>8.00   | IEN201<br>IGK201<br>IGK201 | B<br>B<br>B    | C<br>B<br>B    | 7.50<br>8.00<br>8.00 |

**ENTITY: PREM VIDYALAYA**

**CLASS: INTERMEDIATE**

**BRANCH: COMMERCE**

**SESSION: 2016-2017**

**SEM : 2**

| NAME / ROLL NO.                                      | CT         | SX | AT | SGPA | RES. |   |                            |              |               |                       |                  |         |          |               |                  |         |         |              |                  |          |          |              |
|------------------------------------------------------|------------|----|----|------|------|---|----------------------------|--------------|---------------|-----------------------|------------------|---------|----------|---------------|------------------|---------|---------|--------------|------------------|----------|----------|--------------|
|                                                      | ENROLMENT# |    |    |      |      |   |                            |              |               |                       |                  |         |          |               |                  |         |         |              |                  |          |          |              |
| PRIYANKA SINGH<br>8-IC-CM-00-2-168197                | BC 141547  | F  | 1  | 7.41 | 7.41 | P | IAC201<br>IHI202<br>ISR201 | B<br>B-<br>A | C<br>C-<br>A  | 7.50<br>6.50<br>10.00 | IBC201<br>IWE201 | B<br>A  | B-<br>A  | 7.75<br>10.00 | IEC201<br>ICC201 | B<br>B  | B-<br>B | 7.75<br>8.00 | IEN201<br>IGK201 | B-<br>A- | D-<br>A- | 6.00<br>9.00 |
| RACHNA KUMARI KUNTAL<br>8-IC-CM-00-2-168198          | BC 141548  | F  | 1  | 7.99 | 7.89 | P | IAC201<br>IHI202<br>ISR201 | B<br>A-      | B-<br>A-<br>A | 7.75<br>9.00<br>10.00 | IBC201<br>IWE201 | A-<br>C | C<br>A   | 8.25<br>10.00 | IEC201<br>ICC201 | B<br>B  | C<br>B- | 7.50<br>7.00 | IEN201<br>IGK201 | B-<br>A- | C-<br>A- | 6.50<br>9.00 |
| RAGINI<br>8-IC-CM-00-2-168199                        | BC 160387  | F  | 1  | 5.18 | 6.33 | P | IAC201<br>IHI202<br>ISR201 | B-<br>C      | C-<br>E<br>A  | 6.50<br>5.00<br>10.00 | IBC201<br>IWE201 | C<br>D  | D<br>A   | 5.50<br>10.00 | IEC201<br>ICC201 | B<br>B  | D<br>B  | 7.00<br>8.00 | IEN201<br>IGK201 | C<br>E   | E<br>B   | 5.00<br>8.00 |
| RASHMI RANA<br>8-IC-CM-00-2-168200                   | BC 160388  | F  | 1  | 8.18 | 8.73 | P | IAC201<br>IHI202<br>ISR201 | A-<br>A-     | B<br>B<br>A   | 8.75<br>8.75<br>10.00 | IBC201<br>IWE201 | A<br>B  | B<br>A   | 9.50<br>10.00 | IEC201<br>ICC201 | A<br>B  | B-<br>B | 9.25<br>8.00 | IEN201<br>IGK201 | B<br>A-  | C-<br>A- | 7.25<br>9.00 |
| SHASHI PRABHA<br>8-IC-CM-00-2-168201                 | BC 160389  | F  | 1  | 8.17 | 8.32 | P | IAC201<br>IHI202<br>ISR201 | B<br>A       | A-<br>B-<br>A | 8.25<br>9.25<br>10.00 | IBC201<br>IWE201 | B<br>B  | B-<br>A  | 7.75<br>10.00 | IEC201<br>ICC201 | A-<br>B | B-<br>B | 8.50<br>8.00 | IEN201<br>IGK201 | B<br>A-  | C-<br>A- | 7.25<br>9.00 |
| SHIVANI (D/O SRI MANOJ KUMAR)<br>8-IC-CM-00-2-168202 | BC 160390  | F  | 1  | 7.62 | 7.91 | P | IAC201<br>IHI202<br>ISR201 | B<br>B       | B-<br>B-<br>A | 7.75<br>7.75<br>10.00 | IBC201<br>IWE201 | A-<br>B | B-<br>A  | 8.50<br>10.00 | IEC201<br>ICC201 | A<br>C  | C<br>B- | 9.00<br>7.00 | IEN201<br>IGK201 | B-<br>D  | D<br>B   | 6.25<br>8.00 |
| SHIVANI (D/O SRI SONU)<br>8-IC-CM-00-2-168203        | SC 160391  | F  | 1  | 6.14 | 7.28 | P | IAC201<br>IHI202<br>ISR201 | B<br>B-      | B<br>C<br>A   | 8.00<br>6.75<br>10.00 | IBC201<br>IWE201 | B-<br>B | B-<br>A  | 7.00<br>10.00 | IEC201<br>ICC201 | B<br>C  | C<br>B  | 7.50<br>8.00 | IEN201<br>IGK201 | C<br>D   | D<br>B   | 5.50<br>8.00 |
| SHRASTI<br>8-IC-CM-00-2-168204                       | BC 160392  | F  | 1  | 6.89 | 8.21 | P | IAC201<br>IHI202<br>ISR201 | B<br>B       | B-<br>B-<br>A | 7.75<br>7.75<br>10.00 | IBC201<br>IWE201 | A-<br>B | B-<br>A  | 8.50<br>10.00 | IEC201<br>ICC201 | A-<br>C | C<br>A- | 8.25<br>9.00 | IEN201<br>IGK201 | B<br>A-  | C<br>A-  | 7.50<br>9.00 |
| SIMRAN PALWAR<br>8-IC-CM-00-2-168205                 | SC 160393  | F  | 1  | 8.21 | 8.35 | P | IAC201<br>IHI202<br>ISR201 | A-<br>A-     | B<br>B<br>A   | 8.75<br>8.75<br>10.00 | IBC201<br>IWE201 | B<br>B  | B<br>A-  | 8.00<br>9.00  | IEC201<br>ICC201 | A-<br>B | B-<br>B | 8.50<br>8.00 | IEN201<br>IGK201 | B<br>B   | C<br>B   | 7.50<br>8.00 |
| SOUMYA KORPAL<br>8-IC-CM-00-2-168206                 | GN 160394  | F  | 1  | 8.02 | 8.45 | P | IAC201<br>IHI202<br>ISR201 | B<br>B       | B-<br>C-<br>A | 7.75<br>7.25<br>10.00 | IBC201<br>IWE201 | A<br>B  | B-<br>A- | 9.25<br>9.00  | IEC201<br>ICC201 | A<br>B  | B-<br>B | 9.25<br>8.00 | IEN201<br>IGK201 | A-<br>A- | B-<br>A- | 8.50<br>9.00 |
| SUKHMAN BATTH<br>8-IC-CM-00-2-168207                 | GN 141559  | F  | 1  | 8.53 | 8.60 | P | IAC201<br>IHI202<br>ISR201 | B<br>A-      | B<br>B<br>A   | 8.00<br>8.75<br>10.00 | IBC201<br>IWE201 | A<br>B  | B<br>A   | 9.50<br>10.00 | IEC201<br>ICC201 | A<br>B  | B-<br>B | 9.25<br>8.00 | IEN201<br>IGK201 | B<br>A-  | C-<br>A- | 7.25<br>9.00 |
| SURBHI KUMARI<br>8-IC-CM-00-2-168208                 | SC 160395  | F  | 1  | 7.37 | 7.91 | P | IAC201<br>IHI202<br>ISR201 | B<br>B       | B-<br>B-<br>A | 8.00<br>7.75<br>10.00 | IBC201<br>IWE201 | B<br>B  | B<br>A   | 8.00<br>10.00 | IEC201<br>ICC201 | A-<br>C | C<br>B  | 8.25<br>8.00 | IEN201<br>IGK201 | B-<br>A- | C-<br>A- | 6.50<br>9.00 |

