

ENTITY: FACULTY OF SCIENCE

SESSION: 2019-2020

CLASS: M.VOC.

BRANCH: DAIRY TECHNOLOGY

SEM:2

NAME / ROLL NO.	CT	SX	AT	SGPA	RES.																	
	ENROLMENT#																					
DEEP CHANDRA 5-MV-DT-00-2-1904411	BC	M	1	8.25	8.89	P	MDT201	C	C	6.00	MDT202	A	A-	9.75	MDT203	A	A	10.00	MDT204	A-	A	9.25
			192738				MDT205	A	B	9.50	MDT206	A-	B-	8.50	MDT207	B	A-	8.25	MDT208		A-	9.00
DHIRAJ SINGH 5-MV-DT-00-2-1904412	GN	M	1	7.88	8.85	P	MDT201	C	C-	5.75	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A-	B	8.75
			160749				MDT205	A	B	9.50	MDT206	A-	B-	8.50	MDT207	B	A-	8.25	MDT208		A-	9.00
JITENDRA 5-MV-DT-00-2-1904413	BC	M	1	8.58	9.19	P	MDT201	B-	C	6.75	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A	A-	9.75
			160758				MDT205	A	B	9.50	MDT206	A-	A-	9.00	MDT207	A-	A-	9.00	MDT208		A-	9.00
NAKUL KUMAR VARMA 5-MV-DT-00-2-1904414	BC	M	1	7.27	8.83	P	MDT201	C	B-	6.25	MDT202	A-	A	9.25	MDT203	A	A	10.00	MDT204	A	A-	9.75
			192739				MDT205	A-	B	8.75	MDT206	A-	B	8.75	MDT207	B	A-	8.25	MDT208		A-	9.00
PRIYA 5-MV-DT-00-2-1904415	BC	F	1	8.85	9.36	P	MDT201	B	B-	7.75	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A	B	9.50
			160354				MDT205	A	B	9.50	MDT206	A	A-	9.75	MDT207	A-	A-	9.00	MDT208		A-	9.00
RISHI KUMAR NIGAM 5-MV-DT-00-2-1904416	SC	M	1	8.27	9.15	P	MDT201	C	B	6.50	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A-	B-	8.50
			192740				MDT205	A-	B	8.75	MDT206	A	A-	9.75	MDT207	B	A	8.50	MDT208		A	10.00
SHRIRAM 5-MV-DT-00-2-1904417	BC	M	1	8.01	8.74	P	MDT201	C	D	5.50	MDT202	A-	A-	9.00	MDT203	A	A	10.00	MDT204	A-	B-	8.50
			192741				MDT205	A-	B	8.75	MDT206	A-	B	8.75	MDT207	B	B	8.00	MDT208		A	10.00
VINOD RAJPUT 5-MV-DT-00-2-1904419	BC	M	1	8.75	9.46	P	MDT201	B-	B-	7.00	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A	A-	9.75
			192742				MDT205	A	A-	9.75	MDT206	A-	A-	9.00	MDT207	A	B	9.50	MDT208		A	10.00
PRITY MEHTA 5-MV-DT-00-2-1904420	BC	F	1	9.30	9.85	P	MDT201	A	B	9.50	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A	B	9.50
			160775				MDT205	A	A-	9.75	MDT206	A	A	10.00	MDT207	A	A-	9.75	MDT208		A	10.00
RUPNEET KAUR 5-MV-DT-00-2-1904421	GN	F	1	8.81	9.53	P	MDT201	A-	B-	8.50	MDT202	A	A	10.00	MDT203	A	A	10.00	MDT204	A	A-	9.75
			194340				MDT205	A	B	9.50	MDT206	A-	A-	9.00	MDT207	A-	A-	9.00	MDT208		A	10.00