

ENTITY: TECHNICAL COLLEGE  
CLASS: DIPLOMA IN MODERN OFFICE MNGT. AND  
SECRETARIAL PRACTICE

SESSION: 2021-2022  
MOD:2

| NAME / ROLL NO.                         | CT         | SX | AT | MGPA | RES. |        |    |    |      |        |    |    |      |        |    |     |      |        |    | MGPA |      |
|-----------------------------------------|------------|----|----|------|------|--------|----|----|------|--------|----|----|------|--------|----|-----|------|--------|----|------|------|
|                                         | ENROLMENT# |    |    |      |      |        |    |    |      |        |    |    |      |        |    |     |      |        |    |      |      |
| ANIL RAJPUT<br>6-MO-XX-00-2-2105531     | GN         | M  | 1  | 5.60 | P    | MOS121 | C  | C  | 6.00 | MOS122 | C- | B- | 5.50 | MOS123 | C  | ABS | 4.50 | MCC121 | B  | 8.00 | 5.60 |
| BANTI JADON<br>6-MO-XX-00-2-2105532     | GN         | M  | 1  | 6.20 | P    | MOS121 | B  | A- | 8.25 | MOS122 | C- | C  | 5.25 | MOS123 | C  | ABS | 4.50 | MCC121 | B  | 8.00 | 6.20 |
| HITESH SHARMA<br>6-MO-XX-00-2-2105533   | GN         | M  | 1  | 7.88 | P    | MOS121 | B  | B- | 7.75 | MOS122 | B- | B  | 7.25 | MOS123 | A- | C   | 8.25 | MCC121 | A- | 9.00 | 7.88 |
| KM PRIYA KUMARI<br>6-MO-XX-00-2-2105534 | GN         | F  | 1  | 7.53 | P    | MOS121 | B  | B- | 7.75 | MOS122 | A- | A- | 9.00 | MOS123 | B- | D-  | 6.00 | MCC121 | B- | 7.00 | 7.53 |
| KM.SHILPI SINGH<br>6-MO-XX-00-2-2105535 | BC         | F  | 1  | 7.63 | P    | MOS121 | A- | B  | 8.75 | MOS122 | A- | C  | 8.25 | MOS123 | C  | C-  | 5.75 | MCC121 | B  | 8.00 | 7.63 |
| KOMAL SHARMA<br>6-MO-XX-00-2-2105536    | GN         | F  | 1  | 6.93 | P    | MOS121 | B- | A- | 7.50 | MOS122 | B- | B  | 7.25 | MOS123 | C  | C   | 6.00 | MCC121 | B- | 7.00 | 6.93 |
| MUSKAN SHARMA<br>6-MO-XX-00-2-2105537   | BC         | F  | 1  | 8.40 | P    | MOS121 | A- | A- | 9.00 | MOS122 | A- | B  | 8.75 | MOS123 | B  | C-  | 7.25 | MCC121 | A- | 9.00 | 8.40 |
| PIYUSH KUSHWAH<br>6-MO-XX-00-2-2105538  | BC         | M  | 1  | 8.63 | P    | MOS121 | B  | B  | 8.00 | MOS122 | A- | A- | 9.00 | MOS123 | A- | B   | 8.75 | MCC121 | A- | 9.00 | 8.63 |
| SHIVAM GUPTA<br>6-MO-XX-00-2-2105539    | GN         | M  | 1  | 6.28 | P    | MOS121 | B- | C- | 6.50 | MOS122 | C  | D  | 5.50 | MOS123 | B- | D   | 6.25 | MCC121 | B  | 8.00 | 6.28 |
| SHIVANI GAUTAM<br>6-MO-XX-00-2-2105540  | GN         | F  | 1  | 9.15 | P    | MOS121 | B  | B  | 8.00 | MOS122 | A  | A- | 9.75 | MOS123 | A  | A-  | 9.75 | MCC121 | A- | 9.00 | 9.15 |